

We claim:

- 1 1. An endoscopic optical system comprising;
2 a panoramic/forward viewing optical element which
3 collects image information from the forward field of
4 view and the panoramic field of view; and
5 an endoscope objective that collects and focuses the
6 image information from the panoramic/forward viewing
7 optical element; and
8 an endoscopic eyepiece to view the image information;
9 and
10 an endoscopic relay system to transmit image
11 information through the endoscope from the endoscope
12 objective to the endoscopic eyepiece; and
13 a means of endoscopic illumination to distribute light
14 to the forward field of view and the panoramic field
15 of view.
- 1 2. An endoscopic optical system according to claim 1,
2 wherein the panoramic/forward viewing optical element,
3 further comprises a forward field of view optical
4 element group, a panoramic field of view optical
5 element group and a focusing optical element group.
- 1 3. An endoscopic optical system according to claim 2,
2 wherein the forward field of view optical element
3 group further comprises at least one optical element
4 group.

- 1 4. An endoscopic optical system according to claim 2,
2 wherein the panoramic field of view optical element
3 group further comprises a first reflector and a second
4 reflector.
- 1 5. An endoscopic optical system according to claim 2,
2 wherein the focusing optical element group further
3 comprises at least one optical element group.
- 1 6. An endoscopic optical system according to claim 4,
2 wherein the first reflector has a spherical geometry.
- 1 7. An endoscopic optical system according to claim 4,
2 wherein the first reflector has an aspherical
3 geometry.
- 1 8. An endoscopic optical system according to claim 4,
2 wherein the second reflector has a planar geometry.
- 1 9. An endoscopic optical system according to claim 4,
2 wherein the second reflector has a concave geometry.
- 1 10. An endoscopic optical system according to claim 4,
2 wherein the second reflector has a convex geometry.
- 1 11. An endoscopic optical system according to claim 4,
2 wherein the first reflector has a central clear
3 aperture to pass the image information through.
- 1 12. An endoscopic optical system according to claim 4,
2 wherein the second reflector has a central clear
3 aperture to pass the forward field of view image
4 information through.

1 13. An endoscopic optical system according to claim 1,
2 wherein the image information viewed through the
3 endoscopic eyepiece comprises the forward field of
4 view image information and the panoramic field of view
5 image information on a single image plane.

1 14. An endoscopic optical system according to claim 13,
2 wherein the image information viewed through the
3 endoscopic eyepiece comprises a total field of view of
4 at least 240 degrees.

1 15. An endoscopic optical system according to claim 13,
2 wherein the image information viewed through the
3 endoscopic eyepiece comprises a substantially seamless
4 boundary between the forward field of view image
5 information and the panoramic field of view image
6 information.

1 16. An endoscopic optical system according to claim 13,
2 wherein the image information viewed through the
3 endoscopic eyepiece comprises substantially matched
4 magnifications for the forward field of view image
5 information and the panoramic field of view image
6 information.

1 17. An endoscopic optical system according to claim 13,
2 wherein the image information viewed through the
3 endoscopic eyepiece comprises substantially matched
4 brightness for the forward field of view image

5 information and the panoramic field of view image
6 information.

1 18. An endoscopic imaging system according to claim 1,
2 wherein the panoramic/forward viewing optical element
3 is housed within an optically transparent tube that is
4 integrally aligned with the remainder of the endoscope
5 housing.

1 19. An endoscopic imaging system according to claim 1,
2 wherein the means of illumination comprises fiber
3 optic illumination around the entire outer
4 circumference and a semi-reflective and semi-
5 transparent angled seam in an optically transparent
6 tube placed distally to the fiber optic illumination
7 to distribute the illumination to both the forward
8 field of view and the panoramic field of view.

1 20. An endoscopic imaging system according to claim 1,
2 wherein the means of illumination comprises fiber
3 optic illumination around the entire outer
4 circumference and an optically transparent tube with a
5 diffuse portion on its outer circumference placed
6 distally to the fiber optic illumination to distribute
7 the illumination to both the forward field of view and
8 the panoramic field of view.

1 21. An endoscopic imaging system according to claim 1,
2 wherein the means of illumination comprises fiber

3 optic illumination around the entire outer
4 circumference and an optically transparent tube with a
5 diffuse portion on its inner circumference placed
6 distally to the fiber optic illumination to distribute
7 the illumination to both the forward field of view and
8 the panoramic field of view.

1 22. An endoscopic imaging system according to claim 1,
2 wherein the means of illumination comprises fiber
3 optic illumination around the entire outer
4 circumference and an optically transparent tube with a
5 curved notch on its outer circumference placed
6 distally to the fiber optic illumination to distribute
7 the illumination to both the forward field of view and
8 the panoramic field of view.

1 23. An endoscopic imaging system according to claim 1,
2 wherein the means of illumination comprises fiber
3 optic illumination around the entire outer
4 circumference and an optically transparent tube with a
5 angled notch on its outer circumference placed
6 distally to the fiber optic illumination to distribute
7 the illumination to both the forward field of view and
8 the panoramic field of view.

1 24. An endoscopic imaging system according to claim 1,
2 wherein the means of illumination comprises fiber
3 optic illumination around the entire outer

4 circumference with some fibers continuing on the
5 inside of the optically transparent tube for
6 illumination of the forward field of view and the
7 remainder of the fibers ending at the optically
8 transparent tube for illumination distribution to the
9 panoramic field of view.

1 25. An endoscopic imaging system according to claim 24,
2 wherein the optically transparent tube further
3 comprises a reflective angled seam for illumination
4 distribution to the panoramic field of view.

1 26. An endoscopic imaging system according to claim 24,
2 wherein the optically transparent tube further
3 comprises a reflective seam and an optically diffuse
4 proximal section for illumination distribution to the
5 panoramic field of view.